



PH. (562) 833 4007
FX. (888) 833 4007
www.007SYSTEMS.TV

Product Specifications and Retail Pricing



Because Your Customers Expect the Best

All of our products can be ordered from our website www.007systems.tv U.S. Pat:#7124656. Prices may be adjusted. Refer to our website for current pricing. Warranty on products we manufacture is 12 months from shipping date. Warranty on items we do not manufacture is limited to manufacturer warranty and only applies to items we install into our SAC's.



Product Specifications and Retail Pricing

007 Systems, makers of the best Security Access Console on the Planet!

Now you have an option for your customers that do not want an unattractive, plastic, prison looking door or gate entry system on their home or business.

The entry access point is the first thing people use to gain access to their property. It should set a tone of elegance and functionality and make your products look great.

007 Systems makes what we call a Security Access Console. We like to think of it as a doorbell on steroids. It can provide 2-way intercom and a video image to the home or business. It can also provide access to the property via an illuminated keypad. Handling all of your entry security needs for your property and family, our products truly are **Security Access Consoles**.

Our SAC's integrate 2-way Intercom, video and entry access, all in one elegant easy to install and user friendly console. They consist of faceplates, enclosures and electronics. These units are placed at pedestrian and gate entry locations for homes and businesses.

We have 3 models to meet all of your needs. The SAC100, SAC200 and the SAC50.

1. The SAC100 is used at a front door or any other entry location needing a doorbell, 2-way intercom and a camera. Available in 7 finishes.
2. The SAC200 is our top of the line SAC and is used at driveway, gate, door or any other entry location needing a doorbell 2-way intercom, camera and an illuminated keypad. Available in 7 finishes.
3. The SAC50 is used for the job that gets everything later. Great for multi unit installs, the SAC50 includes an illuminated doorbell button. When the customers decide what they want installed you can remove the SAC50 faceplate, install the SAC100 or SAC200 in the same rough-in box and reuse the SAC50 faceplate on the next job. Very efficient! The faceplate can even be painted to match the home or business.

We use some of the industries best selling entry access door stations I.E. Panasonic, Viking, Doorbell Fon, AI Phone, Crestron and many more. We can install all of the electronics in your SAC for you or you can do it yourself. This will save you time or money.

Our systems are modular so upgrading is easy and profitable.

If you're looking for a camera for your front door or gate, look no further. With our camera options you will never again have to figure out where to install a camera.

All of our cameras are mounted behind a tinted window for stealth and come with a patented swivel gimbal. They really add an elegant look to our SAC's. Our swivel gimbals give you the capability of changing the angle of the camera itself vertically and horizontally up to 60 degrees. This gives you great flexibility in installing your SAC when locations options are limited.

We have three different camera models which have resolutions of up to 470 lines. This means they will look great on your new high definition TV's.

The gimbal installs in seconds and allows you to easily adjust the camera angle in no time.

With an optional modulator you can see that cameras image on all of the TV's in the house.

Our systems are modular so upgrading is easy and profitable.

All three of our SAC models will fit in all of our enclosures giving you the ease to upgrade and downgrade later without replacing the enclosures. For example, to add on a camera to any of our SAC's requires nothing more than removing the SAC faceplate, then the "Welcome" name plate. Replace with the included Plexiglass lens and screw the camera and swivel mount to the SAC, connect wires, adjust the angle of the camera, reinstall the SAC faceplate and you are done.

We have enclosure options for almost any application, from surface mount, flush mount, to standing pole enclosures to concrete wall. This gives you the flexibility to install your SAC almost anywhere.

We also have many upgrade options for your SAC including illuminated buttons, security screws and customized name plates. These items will give your install that custom look your clients will love.

All of our products are manufactured of extremely high quality standards and designed with the installer and end-user in mind while exceeding the needs of your most demanding clients.

"Because Your Customers Expect the Best"



Product Specifications and Retail Pricing

Security Access Consoles



SAC100Aluminum Brush/
Illuminated button/Camera
Security Screws



SAC100 Brass Polish/Camera



SAC100 Aluminum Powder Coat
White/WNP/Security Screws

SAC100

Security Access Console 100

The SAC100 is used at a front door or other entry applications where you would need a doorbell, intercom and a camera.

The SAC100 is made from solid aluminum or brass .25" thick and polished to perfection then coated with a clear coat to take the elements.

What's included:

- (1) SAC100 Faceplate in the finish of your choice. (4.5" x 8" x .25" WxHxD)
- (1) Rough-in Box. (4" x 7.5" x 3" WxHxD) (Model# [RIB100](#))
- (1) Stainless steel all-weather doorbell switch (Model# [SWSS-SPST](#))
- (1) "Welcome" nameplate if no camera option is ordered. Model# [WNP](#)
- (25") Self Sticking Foam Gasket Material (Model# [FG25](#))
- (1) Hardpak that includes all necessary hardware and directions to install the intercom of your choice on our list.

Brass Finish Pricing with Door Station Installed.

If Ordering Aluminum Finish subtract -20\$

SAC200 with Panasonic [KX-T30865](#) Installed

SAC200 with Aiphone [LE-D](#) Installed

SAC200 with Doorbell Fon [DP-28IT](#) Installed

SAC200 with Viking [W-1000](#) Installed

SAC200 with Crestron [C2N-IIF](#) & [C2N-IIF-SPMK](#) Installed

SAC100 Options:

1. Illuminated Stainless Steel Doorbell Button (Model# [SWSSI-SPDT](#))
2. Cameras: (This will take the place of the "Welcome" nameplate)
 - [SM100HDCB](#) High Resolution Color / Black & White
 - [SM100HDC](#) High Resolution Color
 - [SM100BW](#) High Resolution Black & White
3. Custom Engraved Name Plate (Model# [CENP](#))
 You can order anything to be engraved on this plate up to 10 characters.
 Great for family names or instructions.
 The CENP will take the place of the "Welcome" nameplate.
4. Security Screw Bit Set (Model# [SSB100](#))
5. (7) Finishes:



Aluminum
Polish



Aluminum
Brush



Aluminum
Powder Coat
White



Aluminum
Powder Coat
Black



Brass
Polish



Brass
Brush



Brass
Oil Rubbed
Bronze

M.S.R.P.

Aluminum
199.99\$

Brass
239.99\$

327.94\$

339.94\$

359.94\$

629.94\$

1,139.96\$

+ 49.99\$

+ 439.99\$

+ 399.99\$

+ 299.99\$

+ 109.99\$

+ 9.99\$

Product Specifications and Retail Pricing

Security Access Consoles



SAC200 Aluminum Powder Coat
Black/Camera/Keypad



SAC200 Brass Oil Rubbed
Bronze/Camera/Keypad/
Security Screws



SAC200 Aluminum Polish/
Illuminated Button/CENP/
Keypad/Security Screws

SAC200

Security Access Console & Keypad 200

The SAC200 is our top of the line Security Access Console. The SAC200 is used at driveway or gate applications where you would need a doorbell, intercom, camera and a door or gate keypad. The SAC200 is made from solid aluminum or brass .25" thick and polished to perfection then coated with a clear coat to take the elements.

What's included:

- (1) SAC200 Faceplate in the finish of your choice. (4.5" x 8" x .25" WxHxD)
- (1) Rough-in Box (4" x 7.5" x 3" WxHxD) (Model# [RIB100](#))
- (1) Stainless steel all-weather doorbell switch (Model# [SWSS-SPST](#))
- (1) "Welcome" nameplate if no camera option is ordered. (Model# [WNP](#))
- (25") Self Sticking Foam Gasket Material (Model# [FG25](#))
- (1) Hardpak that includes all necessary hardware and directions to install the intercom of your choice on our list.

Brass Finish Pricing with Door Station Installed.

If Ordering Aluminum Finish subtract -20\$

SAC200 with Panasonic [KX-T30865](#) Installed

SAC200 with Aiphone [LE-D](#) Installed

SAC200 with Doorbell Fon [DP-28IT](#) Installed

SAC200 with Viking [W-1000](#) Installed

SAC200 with Crestron [C2N-IIF](#) & [C2N-IIF-SPMK](#) Installed

SAC200 Options:

1. Illuminated Stainless Steel Doorbell Button (Model# [SWSSI-SPDT](#))
2. Cameras: (This will take the place of the "Welcome" nameplate)
 - [SM100HDCB](#) High Resolution Color / Black & White
 - [SM100HDC](#) High Resolution Color
 - [SM100BW](#) High Resolution Black & White
3. Custom Engraved Name Plate (Model# [CENP](#))
 You can order anything to be engraved on this plate up to 10 characters. Great for family names or instructions. The CENP will take the place of the "Welcome" nameplate.
4. Essex Illuminated Keypad and Controller (Model# [KE265-5](#))
 The Essex -5 keypad will fit perfectly into the SAC200 and with its controller and cable give you the ability to control 2 gates or doors and is programmable with up to 6 codes.
5. Security Screw Bit Set (Model# [SSB100](#))
6. (7) Finishes:



Aluminum
Polish



Aluminum
Brush



Aluminum
Powder Coat
White



Aluminum
Powder Coat
Black



Brass
Polish



Brass
Brush



Brass
Oil Rubbed
Bronze

M.S.R.P.

Aluminum
199.99\$

Brass
239.99\$

327.94\$

339.94\$

359.94\$

629.94\$

1,139.96\$

+ 49.99\$

+ 439.99\$

+ 399.99\$

+ 299.99\$

+ 109.99\$

+ 599.99\$

+ 9.99\$



Product Specifications and Retail Pricing

Security Access Consoles



SAC50 Silver Illuminated Button



SAC50 Gold Illuminated Button



Gasket Material

SAC50

Security Access Console Pre-wire 50

The SAC50 is for the job that gets everything later.

The SAC50 is very inexpensive and is perfect for multiple unit condo's and such.

Install this SAC50 in a pre-wire job so that you will have an illuminated doorbell button until the SAC100 or SAC200 can be installed.

The SAC50 is also great for the contractor who is installing our SAC's in multiple units and is waiting for the occupants to decide what options they want in their SAC's. Once they decide you can order it and install it using the SAC50's rough-in box. Then you can use the SAC50 console and doorbell button on the next job.

The SAC50 can even be painted to match the color of the home or business.

What's included:

- (1) SAC50 Faceplate. (4.5" wide x 8" tall x .25" thick)
- (1) Rough-in Box (4" wide x 7.5" tall x 3" deep) (Model# [RIB100](#))
- (1) Illuminated Doorbell Button (Silver or Gold)
- (25") Self Sticking Foam Gasket Material (Model# [FG25](#))
- (2) Stainless steel phillips console screws.
- (2) Clip Nuts

Models:

SAC50S (Silver Doorbell Button)

SAC50G (Gold Doorbell Button)

M.S.R.P.

Silver
57.99\$
Gold
57.99\$




Product Specifications and Retail Pricing Door Stations / Intercom Options

	<p>Panasonic KX-T30865 Panasonic Door Station The KX-T30865 Door intercom is compatible with Panasonic's Advanced Hybrid (Analog) and Digital Super Hybrid (Digital) KSU's. The KX-T30865 can be ordered as seen and you disassemble and install the electronics into the SAC100 or SAC200 or order it with the install option and we'll install the electronics into the SAC100 or SAC200 for you. The KX-T30865 can be used in both our SAC100 and SAC200.</p>		<p>M.S.R.P. 44.99\$</p>
	<p>AIPhone LE-D AIPhone Door Station The LE-D is compatible with the Aiphone LEM or LEF Open Voice control systems. The LE-D can be ordered as seen and you disassemble and install the electronics into the SAC100 or SAC200 or order it with the install option and we'll install the electronics into the SAC100 or SAC200 for you. The LE-D can be used in both our SAC100 and SAC200.</p>		<p>M.S.R.P. 49.99\$</p>
	<p>Doorbell Fon DP-28N Doorbell Fon Intercom Door Station The DP-28N is made with metal enclosures in mind. It has a volume control on the circuit board to eliminate feedback. Great for our SAC's.</p>		<p>M.S.R.P. 54.99\$</p>
	<p>Doorbell Fon DP-28IT Doorbell Fon Intercom System The DP-28IT allows users to answer a door or gate from any telephone in their home or business. It installs using a single pair of wire for (power, control, signaling & voice). Add on components install on same single pair of wire. Operation is simple. No Programming! No Codes! Just pick up the telephone like a regular phone call. Operating the DP-28IT is simple, when a visitor presses the button on the door box, the telephones will ring with a distinctive ring to let you know someone is at the door. Just simply pick up the telephone and you are automatically connected to that door. If you are on the telephone and a visitor comes to your door you will hear a distinctive call-waiting tone. Press the "flash" key or hook switch your telephone and the built in call-waiting on your DOORBELL FON™ will switch you to the door and place your outside call on hold. When you are finished talking to the door just press the "flash" key or hook switch and connect back to the outside call. The DP-28IT can be ordered as seen and you disassemble and install the electronics into the SAC100 or SAC200 or order it with the install option and we'll install the electronics into the SAC100 or SAC200 for you. The DP-28IT comes with a cord to plug it in a 110v outlet directly. The DP-28IT can be used in both our SAC100 and SAC200.</p>		<p>M.S.R.P. 169.99\$</p>
	<p>Viking W-1000 Viking Door Station The W-1000 is compatible with the Viking C-1000A Door Entry Controller system. The W-1000 can be ordered as seen and you disassemble and install the electronics into the SAC100 or SAC200 or order it with the install option and we'll install the electronics into the SAC100 or SAC200 for you. The W-1000 can be used in both our SAC100 and SAC200.</p>		<p>M.S.R.P. 219.99\$</p>



Product Specifications and Retail Pricing

	<p>Crestron C2N-IIF</p> <p>Crestron Interface</p> <p>The C2N-IIF works with Crestron's Intercom Distribution Switchers and other CAT5 AV distribution products. Audio, video, and control signals are carried to the head end by a single Cresnet cable and two CAT5E cables.</p>		<p>M.S.R.P.</p> <p>799.99\$</p>
	<p>Crestron C2N-IIF-SPMK</p> <p>Crestron Interface Speaker Mounting Kit</p> <p>The C2N-IIF-SPMK includes the mounting hardware, speaker, and microphone element necessary to compose a complete intercom door station using the C2N-IIF Intercom Interface with our SAC's.</p>		<p>M.S.R.P.</p> <p>179.99\$</p>

Product Specifications and Retail Pricing

Camera Options



SM100HDCB

Swivel Mount & High Resolution Color/Black & White Camera

The Swivel Mount installs easily into either the SAC100 or 200 and allows the camera to be adjusted at a fixed horizontal angle of 60 degrees and a vertical angle of 40 degrees, greatly increasing the possible view. This camera has an amazing 470 lines of resolution and is color during sufficient light levels but when the light level drops it turns to Black and white decreasing the LUX to see more.

The swivel and camera are hidden behind a tinted window for total stealth.

This camera will look great on today's high definition TV's.

What's included:

- (1) Color/Black/White Board Camera
- (1) Swivel Gimbal (Model# [SM100](#))
- (1) Plexiglas Window (Model# [TPL](#))
- (1) 12-volt power supply (Model# [PS12VDC500](#))
- Hardware to mount the camera to the SM100
- Hardware to mount the SM100 to your SAC.

This camera is NTSC format.

Resolution	470 Lines
Min. Illumination	0.01 Lux (Night), 0.5 Lux (Day)
Video Output	VBS 1.0 Vp-p (75 ohm load)
Operating Temp.	-10°C ~ +50°C
Operating Humidity	90% RH max.

M.S.R.P.

409.99\$



SM100HDC

Swivel Mount & High Resolution Color Camera

The Swivel Mount installs easily into either the SAC100 or 200 and allows the camera to be adjusted at a fixed horizontal angle of 60 degrees and a vertical angle of 40 degrees, greatly increasing the possible view. This camera has an amazing 470 lines of resolution and is color.

The swivel and camera are hidden behind a tinted window for total stealth.

This camera will look great on today's high definition TV's.

What's included:

- (1) Color Board Camera
- (1) Swivel Gimbal (Model# [SM100](#))
- (1) Plexiglas Window (Model# [TPL](#))
- (1) 12-volt power supply (Model# [PS12VDC500](#))
- Hardware to mount the camera to the SM100
- Hardware to mount the SM100 to your SAC.

This camera is NTSC format.

Resolution	470 Lines
Min. Illumination	0.7 Lux
Video Output	VBS 1.0 Vp-p (75 ohm load)
Operating Temp.	-10°C ~ +50°C
Operating Humidity	90% RH max.

M.S.R.P.

379.99\$

Product Specifications and Retail Pricing

Camera Options



SM100BW

Swivel Mount & High Resolution Black/White Camera

The Swivel Mount installs easily into either the SAC100 or 200 and allows the camera to be adjusted at a fixed horizontal angle of 60 degrees and a vertical angle of 40 degrees, greatly increasing the possible view. This camera has an amazing 430 lines of resolution and is black and white.

The swivel and camera are hidden behind a tinted window for total stealth.

This camera will look great on today's high definition TV's.

What's included:


- (1) Black/White Board Camera
- (1) Swivel Gimbal (Model# [SM100](#))
- (1) Plexiglas Window (Model# [TPL](#))
- (1) 12-volt power supply (Model# [PS12VDC500](#))
- Hardware to mount the camera to the SM100
- Hardware to mount the SM100 to your SAC.

This camera is NTSC format.

Resolution	430 Lines
Min. Illumination	0.01 Lux
Video Output	VBS 1.0 Vp-p (75 ohm load)
Operating Temp.	-10°C ~ +50°C
Operating Humidity	90% RH max.

M.S.R.P.

269.99\$



SM100

Swivel Mount

The Swivel Mount installs easily into either the SAC100 or 200 and allows the camera to be adjusted at a fixed horizontal angle of 60 degrees and a vertical angle of 40 degrees, greatly increasing the possible view.

The swivel and camera are hidden behind a tinted window for total stealth.

The SM100 is made from solid aluminum and is computer cut with great precision to accurately and easily adjust the angle of the camera.

This is the gimbal only.

What's included:

- (1) SM100 Swivel Gimbal
- (1) Plexiglas Window (Model# [TPL](#))
- Hardware to mount the camera to the SM100
- Hardware to mount the SM100 to your SAC.

M.S.R.P.

99.99\$



Product Specifications and Retail Pricing Enclosure Options

	<p>RIB100 Rough-In Box The RIB100 is the rough-in box that comes with every Security Access Console. The unit has holes on both sides for easy mounting in any framing application. This tough metal box is sealed with a black powder coat to give a lifetime of service without rusting. Dimensions: (4" Wide x 7.5" Tall x 3" Deep)</p>		<p>M.S.R.P. 19.99\$</p>
	<p>RIB200 Enclosed Concrete Rough-In Box The RIB200 is our rough-in box for block, brick and poured concrete walls. This rough-in box is designed to be sunk into the wall to provide a surface mount for you SAC This tough sealed box is made with extra thick metal and is 5" deep with room to spare for all of its electronics. It has knockouts on two sides measuring .75" and 1" for easy hookup to conduit. The RIB200 is also sealed with a black powder coat to give a lifetime of service without rusting. Dimensions: (4" Wide x 7.5" Tall x 5" Deep)</p>		<p>M.S.R.P. 79.99\$</p>
	<p>RIB300 Enclosed Concrete Rough-In Box w/ Rain shield The RIB300 is our rough-in box for block, brick and poured concrete walls. This specially designed rough-in box is perfect for outside walls. It has a built in rain shield to keep the sun and rain off of your SAC. This super tough sealed box is made with extra thick metal and is 6" deep with room to spare for all of its electronics. It has knockouts on both sides and the bottom measuring .5" and .75" for easy hookup to conduit. The RIB300 is also sealed with a black crinkle powder coat to give a lifetime of service without rusting. The RIB300 is sealed top to bottom to keep out moisture from your SAC. Dimensions: (4.75" Wide x 8.25" Tall x 7" Bottom 8.25" Top Deep)</p>		<p>M.S.R.P. 139.99\$</p>
	<p>SMB100 Surface Mount Box The SMB100 is our surface mount box for use when a rough-in box is not an option. The SMB100 screws directly to any surface and can be easily sealed with calk. This surface mount box is sealed to keep the moisture out and has no ugly seam. The box is only 1.5" deep and slightly smaller than the SAC100 or SAC200 faceplates. The box mounts easily and securely with enough room for the camera, intercom and keypad. It is also sealed with a black powder coat to give a lifetime of service without rusting. Dimensions: (4.375" Wide x 7.875" Tall x 1.5" Deep)</p>		<p>M.S.R.P. 79.99\$</p>

All of our products can be ordered from our website www.007systems.tv U.S. Pat:#7124656. Prices may be adjusted. Refer to our website for current pricing. Warranty on products we manufacture is 12 months from shipping date. Warranty on items we do not manufacture is limited to manufacturer warranty and only applies to items we install into our SAC's.



Product Specifications and Retail Pricing

Standing Pole Enclosures

	<p>SPE100 Standing Pole Enclosure</p> <p>The SPE100 is our standing pole enclosure that is used to enclose the SAC100 or 200 at a gate or driveway application. The enclosure has enough room to house all of our SAC models including, camera, microphone, speaker, Essex illuminated keypad and controller. The enclosure also has a rain cover for the SAC and is sealed to keep moisture out. The enclosure, pole and base plate are made of extra thick metal and powder coated with a black crinkle powder coat to last a lifetime and look great. The enclosure has the capability to bolt the Essex circuit board down using hinges. This gives you the ability to swing the circuit board to the side and out of the way if you need to run wires at a later time. The pole can easily be routed with wires and comes with a mounting base plate to bolt to a concrete slab or a curb and base cover. The base cover will cover the bolts for that clean look.</p> <p>Dimensions: (The SPE100 is 47" tall and 23" deep. From the faceplate to the front of the base plate is 15.5". The 4 mounting holes are .5" in diameter)</p> <p>What's included:</p> <ul style="list-style-type: none"> • (1) SPE100 • (4) Anchor Bolts • (4) Nuts • (4) Washers • (2) Hinged Standoffs <p style="text-align: right;">SAC Not Included</p>		<p>M.S.R.P. 399.99\$</p>
	<p>SPE100MP Standing Pole Enclosure Mounting Plate</p> <p>The SPE100MP is used with the SPE100. It is buried in wet concrete at the time of construction as a template for the base of the SPE100. This item is a steel plate template and 4 j-bolts attached with a hole punched out in the middle. It is designed for you or the contractor to install it when the concrete is being poured. Just bury it up to the steel plate and level it with the conduit protruding up from the hole on the middle. Then when the construction is done and the concrete is dry, bolt down the SPE100 and you're done. This keeps the SPE100 from being exposed to construction damage.</p> <p>What's included:</p> <ul style="list-style-type: none"> • (1) Mounting Plate • (4) J Bolts • (4) Nuts • (4) Washers 		<p>M.S.R.P. 29.99\$</p>
	<p>SPE200 Standing Pole Enclosure</p> <p>The SPE200 is our standing pole enclosure that is used to enclose the SAC100 or 200 at a gate or driveway application. The enclosure has enough room to house all of our SAC models including, camera, microphone, speaker, Essex illuminated keypad and controller board. The enclosure also has a rain cover for the SAC and is sealed to keep moisture out. The enclosure and pole are made of extra thick metal and powder coated with a black crinkle powder coat to last a lifetime and look great. The enclosure has the capability to bolt the Essex circuit board down using hinges. This gives you the ability to swing the circuit board to the side and out of the way if you need to run wires at a later time. The pole can easily be routed with wires and is 36" longer than the SPE100. This model is meant to be poured in concrete so you can adjust the height of the console. This unit will have that extra clean look with no mounting base plate or bolts showing.</p> <p>Dimensions: (The SPE200 is 83" tall and 23" deep. From the faceplate to the front of the pole is 17")</p> <p style="text-align: right;">SAC Not Included</p> <p>What's included:</p> <ul style="list-style-type: none"> • (1) SPE200 • (2) Hinged Standoffs 		<p>M.S.R.P. 399.99\$</p>

All of our products can be ordered from our website www.007systems.tv U.S. Pat:#7124656. Prices may be adjusted. Refer to our website for current pricing. Warranty on products we manufacture is 12 months from shipping date. Warranty on items we do not manufacture is limited to manufacturer warranty and only applies to items we install into our SAC's.

Product Specifications and Retail Pricing

Other Options

	<p>SWSSI-SPDT</p> <p>Illuminated Stainless Steel Doorbell Button</p> <p>The Illuminated Stainless Steel Doorbell Button is an upgrade to our standard Doorbell Button. It can upgrade both our SAC100 and SAC200 consoles. It is illuminated with a white ring of light that surrounds the button in the middle and looks great day or night. The light is emitted from white LED's that require no maintenance.</p> <p>It is made of brushed stainless steel on the face and stainless steel throughout the entire body.</p> <p>This awesome looking button is vandal resistant, water resistant and has a long life expectancy rated at 100,000 cycles.</p> <p>It has a working temperature rating of -20 C (-7.6 F) to 55 C (131 F) and a dust and moisture intrusion protection rating of IP65 (Totally protected against dust. Protected against strong jets of water.)</p> <p>The switch requires 12v DC and comes with a power supply. If you're using one of our cameras on your SAC, then you can power the switch illumination with the same power supply you are running for your camera.</p> <p>This button is both normally open and normally closed.</p> <p>This button will make your Security Access Consoles look great and provide an illuminated beacon for your clients to find their SAC's in low light situations.</p> <p>What's included:</p> <ul style="list-style-type: none"> • (1) Illuminated Stainless Steel Doorbell Button • (1) 12v DC Power Supply (Model# PS12VDC500) • (4) Wire Connectors • (1) O Ring • (1) Nut 		<p>M.S.R.P.</p> <p>49.99\$ As Upgrade</p> <p>69.99\$ Sold Separately</p>
	<p>CENP</p> <p>Custom Engraved Name Plate</p> <p>Use the CENP to customize your console with the owners name or a personal message.</p> <p>The CENP is used in our consoles that do not utilize a camera. The Name Plate goes in place of the tinted window normally covering the camera.</p> <p>The CENP can be used in both our SAC100 and 200 models and has a maximum capacity of 10 characters. Please allow up to 8 weeks for delivery. This price includes shipping to the continental US.</p>		<p>M.S.R.P.</p> <p>99.99\$</p>
	<p>SSB100</p> <p>Security Screw Bit Set</p> <p>The Security Screw Bit set is used when there is a concern of tampering of the Security Access Consoles.</p> <p>What's included:</p> <ul style="list-style-type: none"> • (2) stainless steel security screws • (1) Screwdriver Bit 		<p>M.S.R.P.</p> <p>9.99\$</p>



Product Specifications and Retail Pricing

Entry Access

	<p>KE-265-5 Essex Keyless Entry System</p> <p>The KE-265-5 is a secured, stand-alone Keyless Entry System with features suitable for basic access control requirements. As a <u>secured</u> system, the KE-265-5 provides an enhanced level of security by storing access codes and relays in a separate control module which is installed in a secured area.</p> <p>The KE-265-5 features one Master Code and five User Codes. Two relay outputs are available to satisfy most residential and small commercial access control requirements. Standard configuration provides single door access control by connecting the KE-265's main relay to any fail-safe or fail secure electric locking device. As an alternative, this main relay can also be used to control a garage door or electric gate.</p> <p>The KE-265 also provides an auxiliary output which can be used to control a CCTV or light or any other auxiliary device.</p> <p>The KE-265 can also be configured for two-door operation.</p> <p>Easy to program, simple to use, the KE-265 provides secured residential and small commercial access control applications.</p> <p>Get this unit if you have a SAC200 and need a keyless access system to control your gates and doors.</p> <p>What's included:</p> <ul style="list-style-type: none"> • (1) KE-265 Controller Circuit Board • (1) KP-5 Illuminated Keypad • (1) WC-15 15' Keypad Wiring Harness (30' cables are available.) • (1) 12vDC 500MA Power Supply (Model# PS12VDC500) 		<p>M.S.R.P. 469.99\$</p>
	<p>KE-265 Essex Keyless Entry Controller</p> <p>The KE-265 keyless entry controller circuit board is the controller board for the KP-5.</p>		<p>M.S.R.P. 279.99\$</p>
	<p>KP-5 Essex Illuminated Keypad</p> <p>The KP-5 is the illuminated keypad that comes with the KE265-5. It is illuminated and sealed to take the elements.</p>		<p>M.S.R.P. 339.99\$</p>
	<p>WC-15/WC-30 Essex Keypad Cable</p> <p>The WC-15 and WC-30 are the proprietary cables needed to connect the KP-5 to the KE-265. There is a plug on one end and bare wires on the other end to screw into the terminal strip on the circuit board of the KE-265.</p> <p>This cable comes in two lengths. A 15' and a 30'. If you need longer lengths you can extend these cables with two cat 5 wires.</p>		<p>M.S.R.P. 15' 79.99\$ 30' 99.99\$</p>

Product Specifications and Retail Pricing

Spare Parts

	<p>SWSS-SPST</p> <p>Stainless Steel Doorbell Button</p> <p>This is our standard doorbell button that comes on all of our Security Access Consoles.</p> <p>This button is made of stainless steel and gold plated brass to last a long time. It is vandal resistant, water resistant and has a long life expectancy rated at 100,000 cycles.</p> <p>It has a working temperature rating of -20 C (-7.6 F) to 55 C (131 F) and a dust and moisture intrusion protection rating of IP65 (Totally protected against dust. Protected against strong jets of water.)</p> <p>This button is normally open.</p> <p>What's included:</p> <ul style="list-style-type: none"> • (1) SWSS-SPST Stainless Steel Doorbell Button • (1) O Ring • (1) Nut 		<p>M.S.R.P.</p> <p>FREE /w SAC</p> <p>19.99\$ Sold Separately</p>
	<p>PS12VDC500</p> <p>Power Supply 12v DC 500 ma</p> <p>This great power supply comes with our cameras and illuminated switches. It is very small to plug into power strips with ease and has a LED on the front to instantly see if it is on.</p>		<p>M.S.R.P.</p> <p>19.99\$</p>
	<p>FG25</p> <p>Foam Gasket 25"</p> <p>This is the foam gasket material included with all of our SAC's. It comes in lengths of 25" with a sticky backing that will stick to you SAC and not fall off. Just peel off the paper and cut it to fit your installation. Once installed it will fill gaps of up to .25" including stucco and wood fascia board.</p>		<p>M.S.R.P.</p> <p>1.99\$</p>
	<p>WNP</p> <p>Welcome Name Plate</p> <p>The Welcome name plate comes with all SAC's that are not ordered with a camera. It fits perfectly into the window above the speaker grills and is made of a black plastic.</p> <p>The WNP is engraved and filled with a white paint and is guaranteed that the letters will not come off.</p>		<p>M.S.R.P.</p> <p>11.99\$</p>
	<p>TPL</p> <p>Tinted Plexiglass Lens</p> <p>The tinted Plexiglass lens comes with all the SM100's ordered. It fits perfectly into the window above the speaker grills and is made of a tinted very strong plastic. It is guaranteed not to break under normal situations.</p>		<p>M.S.R.P.</p> <p>5.99\$</p>



Product Specifications and Retail Pricing Modulators

	<p>5415</p> <p>Channel Plus 1 Channel Video/Audio Modulator</p> <p>The Model 5415 One-channel Video Modulator has the same output power as the rest of the 5400 series, but it is a quarter of the size. Video and stereo audio inputs are modulated to a programmable TV channel (stereo audio is converted to monaural audio after modulation). The Model 5415 modulator offers video loop-through. A jumper on the Model 5415 terminates the video input at 75 ohms. When the jumper is removed, the input can be looped using a "Y" adapter to feed the video to a local monitor or VCR.</p> <p>Features:</p> <ul style="list-style-type: none"> • One modulated TV channel • Creates a TV channel for a camera or other video source • Channel range: CATV 65-125 (excluding 95-99) and UHF 14-64 • Pushbutton digital programming of modulated channel • 4.6" W x 1.0" H x 3.2" D 		<p>M.S.R.P.</p> <p>159.99\$</p>
	<p>5425</p> <p>Channel Plus 2 Channel Video/Audio Modulator</p> <p>The Model 5425 Two-channel Video Modulator converts two video and stereo audio inputs to two programmable TV channels (stereo audio is converted to monaural audio after modulation). The Model 5425 modulator offers video loop-through. Jumpers on the Model 5425 terminate the video inputs at 75 ohms. When a jumper is removed, the input can be looped using a "Y" adapter to feed the video to a local monitor or VCR.</p> <p>Features:</p> <ul style="list-style-type: none"> • Two modulated TV channels • Creates TV channels for cameras or other video sources • Channel range: CATV 65-125 (excluding 95-99) and UHF 14-64 • Pushbutton digital programming of modulated channels • 7.9" W x 1.5" H x 5.5" D 		<p>M.S.R.P.</p> <p>249.99\$</p>
	<p>5435</p> <p>Channel Plus 3 Channel Video/Audio Modulator</p> <p>The Model 5435 Three-channel Video Modulator converts three video and stereo audio inputs to three programmable TV channels (stereo audio is converted to monaural audio after modulation). The Model 5435 modulator offers video loop-through. Jumpers on the Model 5435 terminate the video inputs at 75 ohms. When a jumper is removed, the input can be looped using a "Y" adapter to feed the video to a local monitor or VCR.</p> <p>Features:</p> <ul style="list-style-type: none"> • Three modulated TV channels • Creates TV channels for cameras or other video sources • Channel range: CATV 65-125 (excluding 95-99) and UHF 14-64 • Pushbutton digital programming of modulated channels • 7.9" W x 1.5" H x 5.5" D 		<p>M.S.R.P.</p> <p>\$</p>

All of our products can be ordered from our website www.007systems.tv U.S. Pat:#7124656. Prices may be adjusted. Refer to our website for current pricing. Warranty on products we manufacture is 12 months from shipping date. Warranty on items we do not manufacture is limited to manufacturer warranty and only applies to items we install into our SAC's.